



Flying W Plastics, Inc.

P. O. Box 759
 Glenville, West Virginia 26351
 (800) 327-4735

221

Truckload Table

IPS - Loads - 40 ft

Size	Joints/ Pallet	Feet/ Pallet	Pt/ Trk	LF 40'S
2"	100	4000	12	48,000
3"	38	1520	16	24,320
4"	29	1160	14	16,240
5"	23	920	10	9,200
6"	20	800	10	8,000
7"	17	680	8	5,400
8"	14	560	8	4,480
10"	5/4	200/160	16	2,880
12"	4	160	14	2,240
14"	4/3	160/120	12	1,680
16"	3	120	10	1,200
18"	2/3	80/120	10	1,000
20"	2/3	80/120	8	800
22"	2	80	6	480
24"	2	80	6	480
26"	2/1	80/40	6	360

IPS - Loads - 50 ft

Size	Joints/ Pallet	Feet/ Pallet	Pt/ Trk	LF 50'S
2"	100	5000	14	70,000
3"	38	1900	16	30,400
4"	29	1450	14	20,300
5"	23	1150	12	13,800
6"	20	1000	9	9,000
7"	17	850	8	6,800
8"	14	700	8	5,600
10"	5/4	250/200	16	3,600
12"	4	200	14	2,800
14"	4/3	200/150	12	2,100
16"	3	150	10	1,500
18"	2/3	100/150	10	1,250
20"	2/3	100/150	8	1,000
22"	2	100	6	600
24"	2	100	6	600
26"	2/1	100/50	6	450

Coil Pipe

Size	Ft./Coil x Pallet	Pallets/ Truck	Feet/ Truck
3/4"	500 x 10	26	130,000
1"	500 x 8	26	104,000
1 1/4"	500 x 6	26	78,000
1 1/2"	500 x 8	9	40,000
2"	500 x 7	7	24,500
3"	500 x 5	6	15,000
4"	500 x 3	6	9,000
5"	500	8	4,000
6"	500	8	4,000

DIPS - Loads - 40 ft

Size	Joints/ Pallet	Feet/ Pallet	Pt/ Trk	LF 40'S
3"	32	1280	14	17,920
4"	26	1040	14	14,560
6"	13	520	14	7,280
8"	14	560	6/5	4,080
10"	5/4	200/160	16	2,880
12"	4/3	160/120	12	1,680
14"	3	120	10	1,200
16"	2/3	80/120	10	1,000
18"	2/3	80/120	8	800
20"	2/2	80	6	480
24"	2/1	80/40	6	360

DIPS - Loads - 50 ft

Size	Joints/ Pallet	Feet/ Pallet	Pt/ Trk	LF 50'S
3"	32	1600	14	22,400
4"	26	1300	12	15,600
6"	13	650	14	9,100
8"	14	700	6	4,200
10"	5/4	250/200	14	3,150
12"	4/3	200/150	12	2,100
14"	3	150	10	1,500
16"	2/3	100/150	10	1,250
18"	2/3	100/150	8	1,000
20"	2/2	100	6	600
24"	2/1	100/50	6	450

Max. Number of Reels Per Truck

Reel Diameter	Sizes Available	Reels/ Truck
70"	1/2" - 2"	18
84"	1/2" - 2"	14
96"	1" - 4"	12
102"	2" - 4"	12
114"	3" - 6"	8
120"	3" - 6"	8

The above quantities are based on volume (48' long x 102" wide flat bed trailer). Check load weight on heavy wall pipe to ensure load does not exceed trucking limitations. Max Wt. = 46,000#